

# Product Specifications

## HAC-HFW12A0RN-VF

2Megapixel 1080P Water-proof HDCVI IR-Bullet Camera



### Features

- 1/2.7" 2Megapixel CMOS
- 25/30fps@1080P
- High speed, long distance real-time transmission
- Day/Night(ICR), AWB, AGC, BLC, 2D-DNR
- 2.7~12mm vari-focal lens
- Max. IR LEDs length 30m (60m optional), Smart IR
- IP66, DC12V

# Product Specifications

## HAC-HFW12A0RN-VF


### Technical Specifications

<b>Model</b>	<b>HAC-HFW12A0RN-VF</b>
<b>Camera</b>	
Image Sensor	1/2.7" 2Megapixel CMOS
Effective Pixels	1930(H)×1088(V)
Electronic Shutter	1/60s~1/100,000s
Video Frame Rate	30fps@1080P
Synchronization	Internal
Mini. Illumination	0.01Lux@F1.2(AGC ON), 0Lux IR on
Video Output	1-channel BNC HDCVI high definition video output
<b>Camera Features</b>	
Max. IR LEDs Length	30m (60m optional), Smart IR
Day/Night	Auto(ICR) / Color / B/W
Noise Reduction	2D
<b>Lens</b>	
Focal Length	2.7~12mm
Angle of View	H: 109°~35°
Mount Type	Φ14
<b>General</b>	
Power Supply	DC12V±20%
Power Consumption	Max 3.8W(30m IR) / 8.5W(60m IR)
Working Environment	-30°C~+60°C / Less than 95%RH (no condensation)
Transmission Distance	Over 300m via 75-3 coaxial cable
Ingress Protection	IP66
Dimensions(W×D×H)	213mm×80mm×72mm
Weight	0.55kg
Material	Metal

# Product Specifications

## HAC-HFW12A0RN-VF

### Dimensions (mm)



### Accessories (optional)

